

Planning and Building Department 250 Frank H. Ogawa Plaza, 2nd Floor, Oakland, CA 94612 INFO: (510) 238-2443 | https://www.oaklandca.gov/topics/secondary/

INFO: (510) 238-3443 | https://www.oaklandca.gov/topics/secondary-units

APPLICATION FOR **Accessory Dwelling Units (ADUs)**IN CONJUNCTION WITH **ONE-FAMILY RESIDENTIAL FACILITY**

GENERAL INFORMATION		
APPLICANT'S NAME/COMPANY:		
PROPERTY ADDRESS:		
DESCRIPTION OF PROPOSAL:		
SELECT TYPE(s) OF PROPOSED ACCESSORY DWELLING UNIT(s) (ADUs): For further details regarding the definitions and regulations for the different types of ADUs, please refer to the Step 1 Zoning Criteria Checklist starting on page 7 of this application. Note that a Category 1 or 2 ADU may be combined on the lot with one JADU. However, a lot may not contain both a Category 2 ADU and a Category 1 ADU. If a lot contains two ADUs, one must be a JADU.		
JUNIOR ADU (JADU): CONVERSION OF SPACE CONTAINED ENTIRELY WITHIN THE BUILDING ENVELOPE OF AN EXISTING OR PROPOSED ONE-FAMILY RESIDENTIAL FACILITY, RESULTING IN A LIVING UNIT OF NOT MORE THAN 500 SQ. FT., REQUIRING OWNER OCCUPANCY IN THE JADU OR THE PRIMARY DWELLING UNIT. THE OWNER OF THE JADU IS REQUIRED TO RECORD A DEED RESTRICTION SETTING FORTH THE OWNER OCCUPANCY REQUIREMENT.		
CATEGORY 1 ADU: CONVERSION OF SPACE WITHIN AN EXISTING ONE-FAMILY RESIDENTIAL FACILITY OR AN ASSOCIATED EXISTING ACCESSORY STRUCTURE OR AN EXISTING ACCESSORY STRUCTURE THAT IS REBUILT; INCLUDES NO EXPANSION OF THE EXISTING BUILDING ENVELOPE OTHER THAN UP TO 150 SQ. FT. FOR PURPOSES OF ACCOMMODATING ADU INGRESS AND EGRESS ONLY.		
CATEGORY 2 ADU: CONSTRUCTION OF A NEW DETACHED OR ATTACHED STRUCTURE, INCLUDING AN EXTERIOR ADDITION TO AN EXISTING PRIMARY RESIDENTIAL FACILITY TO ACCOMMODATE THE ADU, IN CONJUNCTION WITH AN EXISTING OR PROPOSED ONE-FAMILY RESIDENTIAL FACILITY.		
APPLICATION PROCESS		

The application is broken down into a two-step process:

Step 1 involves meeting requirements of Planning and Zoning as provided by Step 1 on Page 2 below. Once Planning/Zoning has reviewed the application and has determined it meets the Step 1 Planning/Zoning requirements, then the applicant can proceed to Step 2.

Step 2 involves filling out the application and submitting all Building Plan requirements, as indicated by Step 2 on Page 2 below.

HOW TO APPLY:

- COMPLETE ALL REQUIRED INFORMATION, THE ADU CHECKLIST, REQUIRED DOCUMENTS, AND PLANS AS OUTLINED IN STEP 1 ON PAGE 2.
- SUBMIT A ZONING WORKSHEET AND UPLOAD YOUR COMPLETED ADU APPLICATION THROUGH THE ONLINE PERMIT CENTER

GENERAL SUBMITTAL REQUIREMENTS CHECKLIST

Below is a brief overview of all the plan requirements for both Step 1 and Step 2, but as stated above, Step 2 plans are only needed after Step 1 is finished. Please submit all applications and plans electronically to:

<u>Online Permit Center</u>

ZONING PLAN REQUIREMENTS, STEP 1			BUILD	BUILDING PLAN REQUIREMENTS, STEP 2			
	REQUIRED FOR ALL ADUS AND/OR JADUS			☐ PLANS			
	☐ COLOR PHOTOGRAPHS OF PROPERTY & ADJACENT PROPERTIES		SEE PAGES 15-16 FOR MORE DETAILED BUILDING PLANS AND DRAWING REQUIREMENTS				
		PLANS			TITLE BLOCK		
		PAGES 4-5 FOR MORE DETAILED PLAN, SURVEY, AND RELATED QUIREMENTS LINE AND/OR TOPOGRAPHICAL SURVEY REQUIRED ONLY FOR BUILDINGS/ADDITIONS HAVING FOOTPRINT WITHIN 3 FEET OF A PROPERTY LINE OR ON SLOPES 20% OR MORE			SCOPE OF WORK		
	KEQ				TITLE 24 ENERGY DOCUMENTATION		
					SITE PLAN, SHOWING LOCATION OF PROPOSED NEW		
					UTILITY METERS AS PER JOINT INFORMATIONAL BULLETIN		
		☐ SITE PLAN (EXISTING AND PROPOSED)			DEMOLITION PLAN		
					FLOOR PLANS		
		☐ FLOOR PLANS (EXISTING AND PROPOSED) ☐ ELEVATIONS REQUIRED ONLY FOR NEW CONSTRUCTION PROJECTS, ADDITIONS, OR EXTERIOR ALTERATIONS			Construction Sections		
					ELEVATIONS		
					FOUNDATION PLAN (FLOORS AND ROOF)		
		CALGREEN CHECKLIST (SEE PAGE 14)			FRAMING PLANS		
		CREEK PROTECTION PERMIT REQUIRED ONLY IF ANY PROPOSED CONSTRUCTION ACTIVITY IS OCCURRING ON A CREEKSIDE PROPERTY (SEE PAGE 14)			STRUCTURAL DETAILS AND SECTIONS (REFERENCED		
					FROM PLANS)		
		CHECKLIST FOR ACCESSORY DWELLING UNITS			STRUCTURAL CALCULATIONS		
	SEE	SEE PAGES 7-12 FOR PROJECT REQUIREMENTS (ALL CATEGORIES)			, , , , , ,		
		QUIRED ONLY FOR NEW CONSTRUCTION PROJECTS TACHED, ATTACHED OR EXTERIOR ALTERATIONS):			SURVEY OR FOUNDATION FORMWORK CERTIFICATE IS REQUIRED IF STRUCTURE APPEARS TO BE WITHIN 5' FROM INTERIOR PROPERTY LINES.		
		CROSS-SECTIONS REQUIRED ONLY FOR BUILDINGS OR ADDITIONS LOCATED			ZONING REVIEW STAMP		
		ON A LOT WITH A SLOPE OF 20% OR MORE		CH	HECKLIST FOR ACCESSORY DWELLING UNITS		
		GRADING PLAN	SEE	PAG	PAGES 17 - 19 FOR PROJECT REQUIREMENTS (ALL CATEGORIES) EBMUD FIRE HYDRANT FLOW DATA REPORT IF THE		
		REQUIRED ONLY IF THE PROJECT PROPOSES ANY SITE GRADING		EE			
		☐ TREE SURVEY REQUIRED ONLY FOR PROJECTS THAT INVOLVE A TREE			PROPOSAL INVOLVES SUBSTANTIAL REHABILITATION OF THE PRIMARY RESIDENTIAL FACILITY		
		PRESERVATION/REMOVAL PERMIT (SEE PAGES 5 & 13)			ISIT <u>EBMUD.COM/FIRE</u> OR CALL (510) 287-1842		
	REC	QUIRED ONLY FOR JADU: PROPERTY TAX EVIDENCE OF			EED RESTRICTION (RESTRICTING SALE OF ADU OR JADU		
		OWNER OCCUPANCY OR EVIDENCE OF DEED RESTRICTION			OM THE PRIMARY LIVING UNITS AND, MEMORIALIZING THAT VNER MUST LIVE IN EITHER THE MAIN OR JADU UNIT)		

STEP 1: PROPERTY OWNER & APPLICANT INFORMATION

Owner:			
Owner Mailing Address:			
City/State:		Zip:	
Phone No.:	Alt. Phone No.:	E-mail:	
To be completed only if Applicant is n	ot the Property Owner:		
I authorize the applicant indicated belo	w to submit the application on my behalf.	Signature of Property Owner	
		E-mail:	
Variance, or exception from any other I remain responsible for satisfying re	I understand that approval of this application does not constitute approval for any administrative review, Conditional Use Permit, Variance, or exception from any other City regulations that are not specifically the subject of this application. I understand further that I remain responsible for satisfying requirements of any private restrictions appurtenant to the property. I understand that the Applicant and/or Owner phone number listed above will be included on any public notice for the project.		
I certify that I am the Applicant and that the information submitted with this application is true and accurate to the best of my knowledge and belief. I understand that the City is not responsible for inaccuracies in information presented, and that inaccuracies may result in the revocation of planning permits as determined by the Planning Director. I further certify that I am the Owner or purchaser (or option holder) of the property involved in this application, or the lessee or agent fully authorized by the owner to make this submission, as indicated by the owner's signature above.			
I understand that statements made to me about the time it takes to review and process this application are general. I am aware that the City has attempted to request everything necessary for an accurate and complete review of my proposal; however, it may be necessary for the City to request clarifying information and/or materials after my application has been submitted and reviewed by City staff. I understand that any failure to submit the clarifying information and/or materials in a timely manner may render the application inactive and that periods of inactivity on the applicant's part do not count towards statutory time limits applicable to the processing of this application.			
I understand that the proposed project and/or property may be subject to other laws, codes, regulations, guidelines, restrictions, agreements, or other requirements of other public agencies within or outside of the City of Oakland, and that the project and/or property may also be subject to requirements enforced by private parties. I am aware that the City recommends that I become fully aware of any other potential requirements before I submit this application and that I comply with all other requirements prior to commencing the proposed project.			
I HEREBY CERTIFY, UNDER PENALTY OF PERJURY, THAT I HAVE READ THE ABOVE AND THAT ALL THE INFORMATION PROVIDED IN THIS APPLICATION IS TRUE AND CORRECT.			
Signature of Owner or Authorized Age	ent	Date	

STEP 1: ZONING PLAN REQUIREMENTS

PD	F PL	AN SET FOR PLANNING PERMIT
•	Inc	lude north arrow, date prepared and scale.
•	Acc	septable drawing scales are: $1/4'' = 1'$, $3/16'' = 1'$, $1/8'' = 1'$, and $1'' = 10'$.
•		lude the name, email and phone number of a person preparing the plan.
•		ow all encroachments over the public Right-of-Way.
•		ace for zoning stamp.
	0,00	
	(a)	LINE AND/OR TOPOGRAPHICAL SURVEY (required only for the following project types listed below)
	Rec	quired for any building or addition with new or replacement footprint within 3 feet of a property line:
		Applicable line survey with field-verifiable monuments set or found by the surveyor.
		Location, dimensions, & dimensions to property line of existing and proposed buildings & similar
		structures within 3 feet of the relevant property line(s).
	Red	quired for any building or addition with new or replacement footprint located on a lot with a slope of 20%
		or more:
		Site topography for all areas of proposed work.
	•	Must be no more than 3 years old from the time of submittal – date of survey must be included.
	•	Must be prepared by a California State Licensed Land Surveyor or by a Civil
	•	Engineer with a license number below 33966 (licensed prior to January 1, 1982).
	•	Include the wet stamp and signature of the Land Surveyor or Civil Engineer who prepared the survey.
	•	Include the applicable surveyor's statement in accordance with the Professional Land Surveyors Act.
	•	In addition to paper copies, the survey must also be submitted in digital format.
		in addition to paper copies, the survey must also be submitted in digital format.
	(b)	SITE PLAN
	•	Two site plans (one existing, labeled "Existing Site Plan" and one proposed, labeled "Proposed Site
		Plan")
		Location and dimensions of all property boundaries, and distances from structures to property lines.
		Location and dimensions of all existing and proposed buildings, decks, stairs, and patios.
		Dimensions of all existing and proposed building setbacks from property lines.
		Location, dimensions, and paving materials of all existing and proposed adjacent sidewalks, curbs, curb-
		cuts (including curb-cuts on adjacent neighbor's lots), and streets.
		Location and dimension of all existing and proposed driveways, garages, carports, vehicle parking
		spaces, bicycle parking spaces, maneuvering aisles, wheel-stops, pavement striping/marking, and
		directional signage. Indicate existing and proposed paving materials.
		Location, height, and building materials of all existing and proposed fencing and walls.
		Location, height (including top and bottom elevation measurements), and building materials of all
		existing and proposed retaining walls.
		Location and size (dbh) of all existing trees and indication of any trees to be removed, include trees on
		neighboring properties that are within 10 feet of construction.
		Location of drainage ways, creeks, and wetlands
		Roof plan showing roof slope and direction, and location of mechanical equipment, ducts, and vents.
		For projects located on a lot with a slope of 20% or more: Show existing and proposed topographic
		contours overlaid with proposed roof plan and indicating roof ridge spot elevations.
		Show any building to be demolished both historic and non-historic.
		Location and size of storage area for recycling containers.

STEP 1: ZONING PLAN REQUIREMENTS (continued)

	ELEVATIONS Show all structure elevations (front, sides and rear) that will be affected by the proposed project. For additions/alterations: label existing and new construction, as well as items to be removed. Identify all existing and proposed exterior materials - including roofing, roof eaves, eave brackets, siding, doors, trim, sills, windows, fences, and railings. Show details of proposed new exterior elements. Show any exterior mechanical, duct work, and/or utility boxes. Include dimensions for building height (from grade to pitch) and wall length.
	CROSS SECTIONS (required only for buildings or additions located on a lot with a slope of 20% or more) Include all critical cross sections, including at least one passing through the tallest portion of the building. Include floor plate and roof plate elevation heights. Location of and distance to all adjacent property boundaries. Label the location of the cross-sections on the site plan.
	TREE SURVEY (required only for projects which involve a Tree Preservation/Removal Permit) Include north arrow, date prepared and scale (Tree Survey should be drawn to the same scale as the Site Plan). Include the name & phone number of person preparing the plan(s). As appropriate or required, include the stamp & "wet signature" of any licensed architect, landscape architect, surveyor and/or civil engineer preparing final plans. Indicate the size (dbh), species, and location of all protected trees within 30 feet of development activity on the subject lot, regardless of whether the protected trees are included on any tree preservation/removal permit application. Label all protected trees that are located within 10 feet of construction (including trees located on neighbor's properties or the adjacent public right-of-way) with the matching number or letter from the Tree Preservation/Removal Permit application (see page 10 of this application).
(g)	GRADING PLAN (required only if the project proposes any site grading) Show proposed grading plan and/or map showing existing and proposed topographic contours (this may be combined with the Site Plan for small projects with only minor grading). Include an erosion & sedimentation control plan. Include a summary table of all proposed excavation, fill, and off-haul volumes.

Step 1: Zoning Permit Information					
CALCULATIONS	Existing Pre-Project	Demolition	New Proposed	Total Post-Project	% Change (Existing/Total)
Total Lot Area (sq. ft.)		N/A	N/A	N/A	N/A
Primary Residential Facility Characteristics:					
Floor area (sq. ft.)					
Footprint (sq. ft.)					
Building height (ft.)					N/A
Type and Number of ADUs (list for each):					
Total ADUs (number)					
Category 1 (number)					N/A
Category 2 (number)					N/A
Junior ADU (number)					N/A
ADU – floor area (list square feet for each):	•	•			
Category 1 (sq. ft.)					
Category 2 (sq. ft.)					
Junior ADU (sq. ft.)					
ADU – footprint (list square feet of each):				<u> </u>	
Category 1 (sq. ft.)					
Category 2 (sq. ft.)					
Junior ADU (sq. ft.)					
ADU – Height (list for each):					
Category 1 – for rebuild or expansion for					N/A
ingress/egress (ft.)					
Category 2 (ft.)					N/A
Location of ADU:					
Category 1 (primary residential facility or					
accessory structure)					
Category 2 (attached to a primary					
residential facility or detached)					
Onsite Parking Spaces (number)					N/A

Step 1: ZONING CRITERIA CHECKLIST

Applicant's Name:	Project Address:
Accessory Dwelling Units (ADUs) may only be granted if the a	oplicant can check "YES" or "N/A" (as provided) to EACH of the following:
1) <u>ALL ADUS/JADUS</u> (must be completed for all proposals)	
YES NO The ADU/JADU is in a zoning district whe	re Residential Facilities are allowed.
YES NO The ADU/JADU has an entrance that is in	dependent from the primary Residential Facility.
YES NO The floor area of the ADU/JADU contains Unit or 150 square feet whichever is less	s at least a minimum square-footage that permits an Efficiency Dwelling .
the following: a sink, cooking facility with	pendent from the primary Residential Facility, which shall include all of appliances, refrigerator, a food preparation counter and storage relation to the size of the dwelling unit. The kitchen must be within the JADU.
lot. A Category 1 or 2 ADU may b	proposed Category 1 AND Category 2 ADUs does not exceed one (1) per combined on the lot with one JADU. However, a lot may not contain tegory 1 ADU. If a lot contains two ADUs, one must be a JADU.
underlying zone, except where t	erage, and Floor Area Ratio (FAR) are consistent with regulations of the hese requirements would preclude one ADU of no more than 800 sq. ft. oct N/A only if proposing one ADU of the minimum size and height.)
	back of the underlying zone is met, except when lot conditions preclude than 800 sq. ft. and up to 16 feet in height anywhere else on the lot.
primary Residential Facility are r	parking without a roof supported by columns) that are required for the naintained or replaced on the lot. (The replacement parking must meet and may be tandem as set forth in OMC Section 17.116.240.A.)
	or rooftop terraces associated with the ADU meet the regular one. (Please check N/A only if the proposal does not add any upper story ces.)
equipment is proposed in the mir equipment in the required setback	s water heaters, heating/cooling condenser, or any other similar nimum required side setbacks. Please check N/A only if any proposed ks is consistent with OMC Section 17.108.130 (I), and mechanical rmance standards of OMC Section 17.120.050.
YES NO The ADU/JADU will not be used as a short consecutive days.	t-term rental facility; rentals must be for periods longer than 30

(continued)

2) ADUS ASSOCIATED WITH HISTORIC PROPERTIES AND DISTRICTS

Survey To find out you on Complete Poon the third rown https://oakgis. For further info	In Standards for ADUs associated with structures rated "A", "B", or "C" by the Oakland Cultural Heritage or property's historic designation please see the Zoning Map (link provided below). Please select your parcel, click carcel Information, and scroll down to "Historic Resources Information". If there is a Historic rating, it will be listed by labeled "OCHS Rating". Zoning Map: maps.arcgis.com/apps/webappviewer/index.html?id=3676148ea4924fc7b75e7350903c7224 formation on Historic Ratings: https://www.oaklandca.gov/topics/historical-and-architectural-rating-systems The Historic Rating of the parcel; if none, write N/A: Let be completed only if the project is associated with a historic resource. Please skip to Section 2B if the primary willity associated with the ADU proposal is not rated A, B, or C.
YES NO N/	A DUs located at the front or side of a primary Residential Facility and visible from the public right-of-way include: the same roof pitch, visually matching exterior wall material, predominant door and window trim sill, recess, and style as the primary residential structure.
YES NO N/	Attached or detached garages located to the front or side of a primary Residential Facility and converted to an ADU replace the garage doors with visually similar exterior wall materials, building colors, and door and window trim as the primary residential structure.
For the option of	approving alternative finishes or styles please follow the Small Project Design Review (DS) application process per OMC Section 17.136.030.
To find out you on Complete Po Register, it will row labeled "Lo	ed with structures on National, California, or Local Register Properties and Districts or property's historic designation please see the Zoning Map (link provided below). Please select your parcel, click arcel Information, and scroll down to "Historic Resources Information". if it is National, California, or Local be listed on the first row labeled "Local Historic Property Category"; if it is in a District, it will be listed on the third ocal Historic District". The Zoning Map: maps.arcgis.com/apps/webappviewer/index.html?id=3676148ea4924fc7b75e7350903c7224
☐ Please writ	e the Historic Rating of the parcel; if none, write N/A:
	ust be completed <u>only</u> if the project is associated with a Historic Register structure or District. Please skip to ADU is not associated with primary Residential Facility on a Historic Register or a District.
YES NO NO	The proposed ADU is NOT located in front of a primary Residential Facility unless the lot conditions or other zoning requirements preclude an ADU of a minimum size (up to 800 sq. ft. and up to 16 feet in height) elsewhere on the lot. (Checking Yes indicates the proposed ADU is not in the in front of the primary Residential Facility or visible form the public right-of-way.)
YES NO NO	The proposed ADU has been considered for location on the lot in the following order of preference: First, behind the primary Residential Facility structure; Second, to the side of the primary Residential Facility; Last, in front of the primary Residential Facility.
YES 🗌	The applicant is aware that a Case Planner reviewing the ADU proposal will consult with Historic Preservation staff. The Case Planner may request additional information to ensure compliance with the objective design standards specified in Section 2A above if the ADU is proposed in front of the primary Residential Facility with Historic designation and visible from the public right-of-way.
	(continued)

3) ADUS/JADUS IN S-9 FIRE SAFETY PROTECTION COMBINING ZONE (S-9 ZONE)					
This Section must be completed <u>only</u> if the lot is located within the S-9 Zone. Please skip to Section 4 if your lot is not within the S-9 zone. To verify if a lot is within the S-9 Zone please see the map:					
	ps.arcgis.com/apps/webappviewer/index.html?id=adfa58efbcc849f89819f7b4bec96534				
YES NO	The total number of existing and proposed ADUs and JADUs of any type does not exceed one (1) per lot.				
YES NO	The Category 1 ADU is a conversion of space within the existing primary Residential Facility. If you select "NO" please review additional Exceptions in section 3A below to confirm eligibility for other ADU types:				
	3A) Exceptions for ADUs in the S-9 Zone: Complete this portion only if the proposal is for a Category 2 ADU or a Category 1 ADU that is outside the envelope of an existing residential facility. At least one exception must be met to be eligible. Please check one that applies:				
17.131. A accommo Please re https://w	a 1: An applicant has an approved application for Reasonable Accommodation Request pursuant to OMC Chapter request may be approved for reasons including a disability of a permanent occupant of the ADU or a need to odate a full-time live-in caregiver for a permanent resident with disability is attached to this application. View the Reasonable Accommodation Application to see if you may qualify: www.oaklandca.gov/documents/request-for-reasonable-accommodations-for-persons-with-disabilities out and attach the completed Reasonable Accommodation Application together with this ADU application.				
	-OR-				
-	n 2: At least one (1) additional off-street parking space is created on the lot in addition to any regularly required parking spaces for the primary residential facility.				
YES NO	Any lost off-street parking space(s) as a result of creation of this ADU is replaced elsewhere on the lot.				
YES NO	The maximum height of the proposed Category 1 or Category 2 ADU is no more than 16 feet.				
	(continued)				

4) CATEGORY 1 ADU (This	Section must be completed only if proposal includes this type of ADU)
YES NO N/A	The Category 1 ADU is located either: (a) within the existing building envelope of a primary Residential Facility or existing accessory structure, and involves no expansion beyond 150 sq. ft. for purposes of accommodating ADU ingress and egress only; or (b) within a new accessory structure rebuilt in the same location and to the same exterior dimension as an existing detached accessory structure, with no expansion beyond 150 sq. ft. for purposes of accommodating ADU ingress and egress only. (N/A may be checked only if your lot meets the definition of a "Small Lot." If your lot meets this definition, please fill out Section 5 below in addition to completing this section.)
YES NO N/A	If the Category 1 ADU is outside of the existing envelope of a primary Residential Facility it is <u>not</u> located within the S-9 Fire Safety Protection Combining Zone. <i>Please follow the link below for a map to verify whether your lot is located outside the S-9 Zone. If your lot is within the S-9 Zone, please complete Section 3 above first. (Please check N/A only if the Category 1 ADU is within the existing building envelope of a primary Residential Facility.)</i> https://oakgis.maps.arcgis.com/apps/webappviewer/index.html?id=adfa58efbcc849f89819f7b4bec96534
YES NO N/A	If the Category 1 ADU proposes an expansion of up to 150 sq. ft. for the exclusive purpose of accommodating ingress and egress to the ADU, such expansion (a) does not encroach on front setbacks established by the underlying zone; and (b) does not encroach within 4 feet side and rear setbacks. (Please check N/A only if the Category 1 ADU does not expand the existing building envelope of a primary residential structure or if the proposed ADU is on a Small Lot.)
YES NO N/A	Conversion of existing attached structures: the Category 1 ADU floor area does not exceed 850 sq. ft. or 50% of floor area of a primary residence, whichever is greater, but in no case exceeds 1,200 sq. ft. (Please check N/A only if the Category 1 ADU is not a conversion of an existing attached structure.)
YES NO N/A	Conversion of existing interior space: the Category 1 ADU does not exceed 1,200 sq. ft. (Please check N/A only if the Category 1 ADU is not a conversion of an existing interior space.)
YES NO N/A	No additional parking is required because the Category 1 ADU is located within the mapped "No Parking for ADUs" (a) one-half (½) mile of a public Transit Stop; (b) an Area of Primary Importance (API) or Area of Secondary Importance (ASI), as defined in the General Plan's Historic Preservation Element; (c) an area where on-street parking permits are required but not offered to the ADU occupant; or (d) one block of a dedicated car share parking space. (Please check N/A only if the Category 1 ADU requires additional parking.)
YES NO	The Category 1 ADU has its own private bathroom.
	mpleted <u>only</u> if the proposal includes this type of ADU and the lot meets the "Small Lot" criteria. ² The Us on Small Lots from the 4 feet setback requirement when the existing accessory structure is expanded
YES NO	The accessory structure to be converted to the Category 1 ADU is legally existing.
YES NO	The total floor area of the proposed Category 1 ADU is no greater than 800 sq. ft.
YES NO	The maximum height of the proposed Category 1 ADU is no more than 16 feet.
YES NO	The Category 1 ADU has its own private bathroom.

 $^{^{1} \ \}text{The "No Parking for ADUs" area can be found on the City's online zoning map: www.oaklandca.gov/resources/zoning-map.}$

 $^{^2}$ "Small Lot" is a lot that is either no greater than 3,000 square feet in size or no greater than 35 feet in mean lot width.

6) CATEGORY 2 ADU (mu	st be completed only if proposal includes this type of ADU)	
YES NO NO	The Category 2 ADU is outside the S-9 Fire Safety Protection Combining Zone. Please follow the link below for a map to verify if your lot is outside the S-9 Zone. If your lot is within the S-9 Zone, please complete Section 3 above before continuing with this section. https://oakgis.maps.arcgis.com/apps/webappviewer/index.html?id=adfa58efbcc849f89819f7b4bec965 34	
YES NO N/A	For an attached (exterior addition) Category 2 ADU, the floor area does not exceed: (a) 850 sq. ft. for a studio or one bedroom, and 1,000 sq. ft. for a two-bedroom or more; or (b) 50% of the floor area of the primary Residential Facility, as long as it does not exceed 1,200 sq. ft. (Please check N/A only if the Category 2 ADU is not an exterior addition to the primary Residential Facility.)	
YES NO N/A	For a detached Category 2 ADU, the floor area does not exceed 850 sq. ft. for a studio or one bedroom, and 1,000 sq. ft. for two bedroom or more. The total floor area includes all areas within the ADU. (Please check N/A only if the Category 2 ADU is not detached ADU.)	
YES NO NO	Any portion of the attached (exterior addition) or detached Category 2 ADU has a setback of at least 4 feet from the rear and side lot lines or meets the regularly required setback of the zoning district, whichever is less, but in no case the ADU has a setback of less than 3 feet from the rear and side lot lines.	
YES NO NO	The height of the Category 2 ADU does not exceed 20 feet. (If the ADU meets all regular setback requirements of the underlying zoning district, then the maximum height is controlled by the underlying zoning district regulations and may exceed 20 feet.)	
YES NO NO	Existing Floor Area Ratio (FAR), lot coverage, and rear setback coverage requirements of the underlying zone are satisfied, except where the requirements would preclude one (1) Category 2 ADU of no more than 800 sq. ft. with at least 4-foot rear and side setbacks (or 3 feet if permitted by the underlying zone)	
YES NO	The Category 2 ADU has its own private bathroom.	
YES NO N/A	No additional parking is required because the Category 2 ADU is located within the mapped "No Parking for ADUs" ³ : (a) one-half (½) mile of a public Transit Stop; (b) an Area of Primary Importance (API) or Area of Secondary Importance (ASI), as defined in the General Plan's Historic Preservation Element; (c) an area where on-street parking permits are required but not offered to the ADU occupant; or (d) one block of a dedicated car share parking space. (Please check N/A only if the Category 2 ADU requires additional parking.)	
YES NO N/A	If the requirements in the above checklist item are not met, the following parking is provided for the ADU: one parking space per unit in all zones. Tandem parking is permitted according to the regulations in Section 17.116.240. (Please check N/A only if the Category 2 ADU does not require additional parking.)	
YES NO NO	One (1) new tree of fifteen (15) gallon or larger root ball size will be planted anywhere on the lot or within the right-of-way in front of the site for a Category 2 ADU with floor area size between 500 sq. ft. and 999 sq. ft. Two (2) new trees of 15 gallon or larger root ball size each shall be planted anywhere on the lot or within the right-of-way in front of the site for a Category 2 ADU with floor area size between 1,000 sq. ft. and 1,200 sq. ft. The trees must be drought tolerant species and must conform with the Tree Division's requirements.	
(continued)		

³ The "No Parking for ADUs" area can be found on the City's online zoning map: www.oaklandca.gov/resources/zoning-map.

7) <u>JADU</u> (must only be co	empleted if proposal includes this type of ADU)
YES NO	The number of existing and proposed JADUs does not exceed 1 per lot.
YES NO	The owner of the property will reside in either the JADU or primary residence.
YES NO	The JADU is located within the building envelope of an existing or proposed One-Family Residential Facility, and involves no expansion of the existing building envelope.
YES NO	The floor area of the JADU does not exceed 500 sq. ft.
YES NO	The JADU is not located within a detached or accessory structure.
YES NO	The JADU has either its own independent bathroom or it shares a bathroom with the primary residence
YES NO	The applicant has prepared to execute a deed restriction for the JADU (to be recorded) that: (a) prohibits the sale of the JADU separate from the primary One-Family Residential Facility, (b) restricts the size and attributes of JADU consistent with this application, (c) states owner occupancy in either the JADU or the primary residence. (<i>Please attach a notarized JADU Deed Restriction with your application.</i>)
YES NO N/A	If the JADU shares a bathroom with the primary residence, there is an internal connection. (Please check N/A only if the JADU does not share a bathroom with the primary residence.)
I have reviewed the above	e checklist and certify that the project conforms to all applicable criteria for Step 1.
Applicant's Signature	 Date
Reviewer's Signature	 Date

STEP 1: TREE PRESERVATION ORDINANCE

Pursuant to the Tree Preservation Ordinance (§12.36 O.M.C.) a Tree Preservation/Removal Permit is required for any proposed construction activity within 10 feet of a Protected Tree, even if such trees are not being removed or if they are located on a neighbor's property or in the public right-of-way (e.g., sidewalk).

The following are "Protected Trees" under the Tree Preservation Ordinance:


- a. Any Coast Live Oak tree that is larger than 4 inches in diameter at breast height (dbh)
- b. Any tree (except Eucalyptus or Monterey Pine) that is larger than 9 inches dbh*
- c. Any tree of any size located in the public right-of-way (including street trees)

I, THE APPLICANT/OWNER, ATTEST THAT: (check one)

☐ (1) There are <u>no</u> existing Protected Trees anywhere on the subject property or within 10 feet of the proposed construction activities (including neighbor's properties or the adjacent public right-of-way).



- There <u>are</u> Protected Trees on the subject property or within 10 feet of the proposed construction activities, and their location is indicated on the site plan and landscape plan **and** (check one);
 - (a) No Protected Trees are to be removed and
 No construction activity will occur within 10 feet of any Protected Tree.
 - ☐ (b) No Protected Trees are to be removed and Construction activity will occur within 10 feet of any Protected Tree.
 - ☐ (c) Protected Trees will be removed.



DESCRIPTION OF TREES: (Identification numbers and letters must be consistent with the Tree Survey – See submittal requirements.)

	Trees proposed for removal			Trees <u>not</u> proposed for removal but located within 10 feet of Construction Activity	1
#	Species	dbh*	#	Species	dbh*
1			Α		
2			В		
3			С		
4			D		
5			E		

Reason(s) for removal/impacting of trees:

^{*} **dbh**: "diameter at breast height" is determined by measuring the trunk at 4'-6" from the ground. Multi-trunked trees are measured by combining the diameters of all trunks at 4'-6" from the ground.

STEP 1: CREEK PROTECTION ORDINANCE

Pursuant to the Creek Protection, Storm Water Management and Discharge Control Ordinance (§13.16 O.M.C.) a Creek Protection Permit is required for any proposed construction activity occurring on a Creekside property. The extent to which your development will be regulated by the Creek Protection Ordinance depends upon the location and type of proposed work.

I, TI	HE AP	PLIC	ANT/	OWNER, ATTEST THAT: (check one)
	(1)			know whether there is a Creek on or near the proposed project site. I have submitted a
		rec	uest f	or a Creek Determination by the City of Oakland (separate form and fee required).
	(2)	No	Creek	x exists on or near the project site; (check one)
			(a)	Based on my review of the characteristics of the project site, as well as all relevant maps and plans; or
			(b)	Based on the attached report prepared by a relevant licensed professional.
		Но	wever,	, if the City determines that a Creek exists on or near the project site, a Creek Protection Permit is required.
	(3)	<u>A (</u>	reek I	OOES exist on or near the project site and (check one)
			(a)	The proposed project only entails <u>interior</u> construction, and therefore requires a <u>Category 1 Creek Permit</u> (this is a no fee permit and only requires distribution of educational materials); or
			(b)	The proposed project entails exterior work that <u>does not</u> include earthwork and is located more than 100 feet from the centerline of the Creek, and therefore requires a <u>Category 2 Creek Permit</u> (this permit requires a site plan and distribution of educational materials); or
			(c)	The proposed project entails (a) exterior work that is located between 20 feet from the top of the Creek bank and 100 feet from the centerline of the Creek, and/or (b) exterior work that includes earthwork involving more than three (3) cubic yards of material located beyond 20 feet from the top of the Creek bank, and therefore requires a <u>Category 3 Creek Permit</u> (this permit requires a site plan and creek protection plan and may require environmental review); or
			(d)	The project entails exterior work conducted from the centerline of the Creek to within 20 feet from the top of the Creek bank, and therefore requires a <u>Category 4 Creek Permit</u> (this permit requires a site plan and creek protection plan and may require environmental review and a hydrology report).
				STEP 1: GREEN BUILDING REQUIREMENTS
Chec prov incre addit	klist (d isions ases t tion or	dowr of C he b	nload a hapte uilding eratior	ornia Green (CALGreen) Building Standards Code, all new residential construction requires completion of a CALGreen at https://aiacalifornia.org/calgreen-checklists). Further, Title 24, Part 11, Section 301.1.1 states that the "mandatory or 4 shall be applied to additions or alterations of existing residential buildings where the addition or alteration of g's conditioned area, volume, or size. The requirements shall apply only to and/or within the specific area of the n." As such, any Accessory Dwelling Unit (ADU) that meets these conditions is also subject to Chapter 4 CALGreen are outlined here: http://www.hcd.ca.gov/building-standards/calgreen/docs/HCDSHL605 2016.pdf
I, TI	НЕ АР	PLIC	ANT/	OWNER, ATTEST THAT: (check all that apply)
-			-	ng a completed CALGreen Checklist with my application.
- (ack	now	ledge	g an Accessory Dwelling Unit (ADU) that meets the conditions as quoted above in code Section 301.1.1, I that I also MUST comply with all Chapter 4 CALGreen mandatory measures and obtain verification by a qualified spector. I am submitting any additional green building plans with this application.
Sun	MARY	OF C	GREEN I	BUILDING FEATURES NOT SHOWN ON PLANS BUT PART OF CALGREEN CHECKLIST:

STEP 2: BUILDING PLAN REQUIREMENTS: (3) PLAN SETS REQUIRED

1. TITLE BLOCK		
Address of Property, Owner, and Designer/Co	ntact person with daytime phone number and email. APN. Sheet N	lumber
2. LIST OF BACKGROUND INFORMATION		
Scope of Work – Descriptive narration of what	t the project will consist of. Owner's name, code information inclu	ding
·	Include a sheet index, Zoning designation, and Assessor's Parcel N	_
Show square footage (for each level) of existing	ng living space, added living space and total.	
3. TITLE 24 ENERGY DOCUMENTATION		
(For all areas to become conditioned space.)		
CF1R Energy forms to be printed on plans. Ma	ke certain all signatures are completed. The forms need to be rea	dable so
please don't reduce them in size.		
4. SITE PLAN Scale: $1/8'' = 1'$ or	1/10" = 1'	
Show outline of the building and distances to	property lines. Show any accessory structures, retaining walls,	
sidewalks, streets, meters, curb cuts, driveway	ys, trees. Show North arrow and scale. Boundary Survey or Founda	ation
Formwork Certificate is required if structure a	ppears to be within five (5) feet of interior property lines.	
5. DEMOLITION PLAN Minimum Scale	: 1/4" = 1'	
Label all rooms. Show items to be demolished	d as dashed. Clearly indicate which part of the structure is to rema	in.
6. FLOOR PLAN Minimum Sca	lle: ¼" = 1'	
Label all rooms (existing and new). Clearly dist	inguish between new walls and walls to remain. Show all walls wit	h double
	zes, types and identify those designated for escape and rescue. Sh	
_	oment locations including water heater (ADU to have permanent a	
	ical panels, washer/dryers, plumbing fixtures, cabinets, etc. Clearl	
indicate fire/sound rated walls.		
7. CONSTRUCTION SECTIONS Minimum Scale	: 3/4" = 1'	
Show major section through area of work incl	uding showing all major components. Clearly indicate fire/sound r	ated
assemblies. Show ceiling heights. Show insula	tion including type & R-value.	
8. EXTERIOR ELEVATION(s) Minimum Scale	: 1/4" = 1'	
Show/indicate all finishes, new and existing. S	Show all items such as windows, doors, decks, stairs, etc. Clearly d	istinguish
what elements are existing and which will be a	added/changed.	-
9. FOUNDATION PLAN Minimum Scale	: 1/4" = 1'	
Provide if the foundation will be replaced, al	tered, or required to support additional loading. Show dimension	s –
•	oundations meet current code. Show hold downs and brace/shear	
•	ze of access openings. Show connections to existing & use detailin	
show further information.		
10. FRAMING PLANS Minimum Scale	: 1/4" = 1'	
(For EACH floor and/or roof.)		
Show size, direction and spacing of all joists ar	nd beams. Clearly show how any existing framing will be altered in	order to
meet current code requirements.		
11. DETAILS AND SECTIONS		
Drawn large enough to show the specific cons	truction and referenced from framing plans. Stairways, fire/sound	
	nder the floor slab, foundation wall waterproofing and drainage, et	
12. STRUCTURAL CALCULATIONS		
(For non-conventionally framed construction.)		
13. ZONING APPROVAL STAMP ON PLANS		

After completing the minimum required items for submittal, please include this form with your submittal package. NOTE: Plan Check may require additional clarifying information after submission.

STEP 2: RECOMMENDED GENERAL STANDARDS FOR DRAWINGS SUBMITTED WITH BUILDING PERMIT APPLICATIONS



PRO TIP: If these recommended standards are followed, it will speed the permit processing and plan check process, provide for more durable jobsite copies, aid the Planning & Building Department when adding standard sized City information sheets, and reduce problems during construction.

STANDARD REQUIREMENTS:

ACCEPTABLE SHEET SIZE: 22" \times 34" or 24" \times 36" is preferred. 18" \times 24" minimum, 36" \times 48" maximum. Drawings should be standard drawing size: 18" \times 24", 22" \times 34", 24" \times 36", 18" \times 24", 30" \times 42", or 36" \times 48". Sets of 4 or less 8 %" \times 11" or 11" \times 17" are not desirable, but will be taken in.

If drawings were done at a smaller size (11" x 17" or 8 $\frac{1}{2}$ " x 11"), applicant can "paste up" to a standard size and have a Xerox vellum master run at a printing company. These can be used to make the bluelines or blacklines prior to submitting for permit.

Standard size bluelines of odd-sized originals are acceptable if all information is shown on the blueline.

BORDER REQUIREMENTS: 1 $\frac{1}{2}$ " minimum at left-hand bound edge, $\frac{1}{2}$ " minimum elsewhere; each sheet should have borderlines.

TITLE BLOCK REQUIREMENT: Each sheet shall have title block indicating (1) Project title and address; (2) Owner's name, mailing address, daytime phone and fax number; (3) drawing preparer's name, address, daytime phone and fax number; (4) pertinent Consultant's name(s), mailing address, phone and fax number(s): (5) sheet number of total number or sheets (i.e.: 1 of 7, 2 of 7, etc.); (6) revision number, and (7) indication of latest date of preparation, printing.

ELECTRONIC STAMP: Provide blank spots 3" wide x 4" tall on each sheet of the plans to allow for electronic stamps to be placed.

NOT ACCEPTABLE:

- **1.DRAWINGS LESS THAN 18" X 24"** (or set with more than 4 sheets of 8 $\frac{1}{2}$ " x 11" or 11" x 17". Smaller drawings make plan checking more time consuming and difficult, are more easily lost or damaged, lack of room for borders results in poor copies and lost information, and tendency to omit information if there is a lack of drawing space.) **OR LARGER THAN 36" X 48"** (too large to handle in plan check cubicles).
- 2.XEROXED COPIES (not durable for job site).
- **3.ORIGINAL DRAWINGS** (can be easily altered during permit issuance).
- **4.DIFFERENT SIZE SHEETS IN A DRAWING SET** (except survey and/or plot plan may be different size from the other drawings if they are the same size as each other).
- **5.DRAWINGS TAPED TOGETHER, OR SHEETS WITH SMALLER DRAWINGS TAPED, STAPLED, OR PASTED ON** (these are not durable and will tend to get torn or ripped off).
- 6. DRAWINGS WITH INFORMATION ADDED IN RED EXCEPT BY CITY STAFF.
- **7.DRAWING SHEETS WITHOUT BORDERS OR WITH INFORMATION CROSSING OVER BORDERS** (information may be lost due to misalignment when having copies made at the printer).
- **8.DRAWINGS WITH LETTERING LESS THAN 1/8-INCH-HIGH OR ILLEGIBLE LETTERING** (not suitable for microfilming or making reduced size copies).
- 9. UNBOUND, UNSTAPLED DRAWING SETS
- 10. DRAWINGS WITHOUT TITLES, PERTINENT ADDRESS AND PHONE NUMBERS, OR WITHOUT PREPARER'S WET SIGNATURE ON EACH SHEET
- 11. POOR QUALITY BLUELINE OR BLACKLINE COPIES WITH POOR CONTRAST OR DIRTY BACKGROUND.

	STEP 2: BUILD	ING PERMIT INFORMATION
TYPE OF PERMIT:		
		BUILDING
		DEMOLITION (SF)
VALUATION OF PROP	OSED WORK	\$
# OF STORIES:		
OCCUPANCY:		R-3
TYPE OF CONSTRUCTI	ON:	V-B
DESIGN OCCUPANT LO	OAD:	
EXISTING FIRE SPRINK	(LERS:	YES NO
CONTRACTOR'S LICEN	ISE NUMBER:	
Analisant/s Name		NG CRITERIA CHECKLIST
Applicant's Name:		Project Address:
DRX Project Application Nu	mber:	<u> </u>
Accessory Dwelling Units (A	DUs) may only be granted if the a	pplicant can check "YES" or "N/A" to EACH of the following:
GENERAL BUILDING CO	ODE REQUIREMENTS	
	JECT TO THE APPLICABLE REQUIF	REMENTS AND PROVISIONS OF THE CALIFORNIA BUILDING CODE,
ADU'S REQUIRE SEPARATE	ADDRESSES. JADU'S MAY NOT BE	E ADDRESSED SEPARETELY FROM THE PRIMARY DWELLING.
YES NO N/A	exterior point of discharge of the path of travel to ADU meets co	cility each has an independent entryways/exits (means of egress) to the he existing building or to the public right of way. Primary entry/exit and de requirements for stairs, handrails, landings, headroom, door width, ot be through the primary or other dwellings.
YES NO N/A	separate electrical connection of plumbing branch connection to facility; Attached ADU: one (1) appliances, in which case one glaundry facilities); Detached AD valve where service enters buil or fixture shutoffs; each dwelling	DU structures shall be All-Electric per OMC 15.37; ADU will not require (drop) from PGE; ADU has access to its own electrical panel; ADU to the sewer lateral does not exist underneath the primary residential gas meter exists per each dwelling unit (except if ADU has no vented gas meter may serve two units), plus one (1) for a common area (i.e., DU: no gas appliances allowed. Detached ADU has its own water shutoff ding or attached ADU without separate water shutoff has integral stops ng unit has permanently installed heating and water heating facilities and equipment. Per California Public Utility Commission CPUC 780.5 rical meter (except JADU).
YES NO N/A	walls below grade include damp	nts for moisture barriers and damp proofing (foundation and foundation proofing, waterproofing, drainage, and vapor retarder), braced wall panels ode requirements (for new construction or conversion of non-habitable
	((continued)

STEP 2: BUILDING CRITERIA CHECKLIST (continued)

YES NO N/A	Buildings dug down meet code requirements for new construction at that lower level and include engineering plans for the foundation and for the gravity and lateral load resisting system of the building.
YES NO N/A	ROOM DIMENSIONS: ADU ceiling height is not less than 7 feet-6 inches for habitable space, hallways, and portions of basements containing these spaces, and 7 feet for bathrooms, toilet rooms, and laundry rooms; has a combined living, eating, and sleeping room not less than 150 square feet, and an additional 100 square feet of superficial floor area per occupant in excess of two (2) occupants; has a separate permanent clothes closet.
YES NO N/A	ADU is located entirely within the subject property and meets required building fire separation distance requirements (may require Surveyor certification).
YES NO N/A	ADU shall be heated separately. Each tenant or owner shall have access to their own mechanical heating equipment and water heater. A central Mechanical Room is permitted provided that each tenant or owner has access without being compelled to pass through another unit. Heating, Air conditioning or ventilating systems shall not combine return air supply from separate dwelling units.
YES NO N/A	BUILDING SAFETY: All exterior walls of the ADU are appropriately fire-rated based on Fire Separation Distance, Construction Type, and applicable provisions of the California Building Code (CBC). No wall openings exist less than 5 ft. (3 ft if sprinklered) to property line. All separation walls and floor/ceiling assemblies, plus their supporting construction for attached units, are appropriately fire and/or smoke rated per the applicable provisions of the CBC. Fire sprinklers are installed in entire building when total floor area (ADUs plus Primary Residential Facility) exceeds 3,600 sq. ft. as a result of an addition or when changes of occupancy classification occur. Fire sprinklers are installed in ADUs when the primary residential facility is required to be protected by fire sprinklers.
YES NO N/A	If the proposal is for a new, or substantial rehabilitation of an existing, primary residence, the nearest hydrant has a flow greater than 1,000 gallons per min. (gpm) and minimum pressure of 20 pounds per sq. inch (psi).
YES NO N/A	Attached ADUs require minimum Sound Transmission Classification (STC) rating 50-45 when tested per American Society for Testing and Materials (ASTM) E90 or STC 50.
YES NO N/A	All other building code requirements are met.
new building and not a conve construction, field conditions	ruction of greater than 50% of an existing building will require a demolition permit and will be considered a ersion for the purpose of determining applicable building Codes as per Code Bulletin D-18-001. If during warrant removal of more than 50% of the building a revision shall be submitted <u>prior</u> to continued removal of or moving of buildings is subject to Code bulletin D-18-001.
GENERAL BUILDING CO	DE REQUIREMENTS AND ACKNOWLEDGEMENTS FOR JADUS
YES NO N/A	JADU will not have a separate address.
YES NO N/A	JADU has independent entryway that meets minimum egress path requirements to the public way.
YES NO N/A	Primary access to JADU meets Code requirements for stairs, handrails, landings, headroom, door width, etc.
JADUs do not require separa sound transmission is also n	ate electrical or gas meters, or fire separation between primary dwelling and JADU. Minimum STC-45 ot required for JADUs.

Reviewer's Signature Date